



01-3062-5012

# MFM 12% *XL*<sup>TM</sup> HIGH FAT PELLET

To be fed to broodmares, breeding stallions and mature performance horses.

### -GUARANTEED ANALYSIS-

|                              |        |
|------------------------------|--------|
| Crude Protein, Min .....     | 12.00% |
| Lysine, Min .....            | 0.60%  |
| Crude Fat, Min .....         | 8.00%  |
| Crude Fiber, Max .....       | 11.00% |
| Calcium, Min .....           | 0.70%  |
| Calcium, Max .....           | 1.00%  |
| Phosphorus, Min .....        | 0.60%  |
| Copper, Min (ppm) .....      | 35.00  |
| Zinc, Min (ppm) .....        | 130.00 |
| Selenium, Min (ppm) .....    | 0.50   |
| Vitamin A, Min (IU/lb) ..... | 6,000  |
| Vitamin D, Min (IU/lb) ..... | 700    |
| Vitamin E, Min (IU/lb) ..... | 60     |

### -INGREDIENTS-

Wheat Middlings, Roughage Products (12.5%), Ground Milo, Ground Corn, Vegetable Oil, Dehydrated Alfalfa Meal, Calcium Carbonate, Salt, Molasses Products, Yeast Culture, Condensed Lignin Sulfonate, Propylene Glycol, Sodium Acetate, Sodium Sulfate, Plant Protein Products, L-Lysine, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Ethoxyquin (a preservative), Mineral Oil, d-Calcium Pantothenate, Biotin, Niacin Supplement, Riboflavin, Thiamine Mononitrate, Vitamin B-12 Supplement, Folic Acid, Magnesium Oxide, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Zinc Methionine Complex, Manganese Methionine Complex, Copper Lysine Complex, Cobalt Glucoheptonate, Potassium Chloride, Cobalt Sulfate, Sodium Selenite, Ethylenediamine Dihydriodide.

### -FEEDING DIRECTIONS-

**Broodmares:**

Feed 1/2 to 1 lb. per 100 lbs. of body weight daily in divided feedings. During the last 3 months of gestation, feed 1 1/2 lbs. per 100 lbs. of body weight per day in divided feedings to achieve desired body condition.

**Breeding Stallions & Mature Performance Horses:**

Feed 1 to 1 1/2 lbs. per 100 lbs. of body weight in divided feedings, depending on desired body condition and activity level.

**Maintenance:**

Feed 1/2 to 3/4 lbs. per 100 lbs. of body weight in divided feedings.

Bring on feed gradually over a 2 to 3 week period and provide good quality forage. These amounts should be fed daily in divided feedings. Rates may be adjusted according to desired body condition, activity level and forage quality. Provide a source of fresh, clean water at all times.

**\*DO NOT FEED WET, MOLDY OR INSECT INFESTED FEED.**

Manufactured by:

**Martindale Feed Mill**

(a division of Alan Ritchey, Inc.)

Valley View, TX 76272

**(800)366-9584**  
**www.martindalefeed.com**