



01-3020-5012

# MFM 16% XL MARE & FOAL PELLETT

To be fed to lactating mares, weanlings and yearlings.

### -Guaranteed Analysis-

Crude Protein (Min) .....	16.00%
Lysine (Min) .....	0.80%
Crude Fat (Min) .....	4.00%
Crude Fiber (Max) .....	10.00%
Calcium (Min) .....	0.70%
Calcium (Max) .....	0.90%
Phosphorus (Min) .....	0.60%
Copper (Min) .....	50 ppm
Selenium (Min) .....	0.50 ppm
Zinc (Min) .....	150 ppm
Vitamin A (Min) .....	5,000 IU/LB
Vitamin D (Min) .....	600 IU/LB
Vitamin E (Min) .....	90 IU/LB

### -List of Ingredients-

Corn (Ground), Wheat Middlings, Dehydrated Alfalfa Meal, Ground Grain Sorghum, Dehulled Solvent Extracted Soybean Meal, Soybean Hulls, Calcium Carbonate, Salt, Vegetable Oil, Whey, Mono-Calcium Phosphate, Yeast Culture, Condensed Lignin Sulfonate, Propylene Glycol, Sodium Acetate, Sodium Sulfate, Magnesium Oxide, Artificial Flavors, L-Lysine, Dried Yeast, Hydrated Sodium Calcium Aluminosilicate, Bentonite, Calcium Propionate., Zinc Methionine, Manganese Methionine, Copper Lysine, Cobalt Glucoheptonate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Ethoxyquin (a preservative), d-Calcium Pantothenate, Biotin, Niacin Supplement, Riboflavin, Thiamine Mononitrate, Vitamin B-12 Supplement, Folic Acid, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Mineral Oil, Potassium Chloride, Cobalt Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide.

### -Feeding Directions-

#### **Lactating Mare:**

Feed 1 to 1 1/2 lbs. per 100 lbs. of body weight in addition to hay or pasture. Adjust intake to achieve desired body condition.

#### **Nursing Foals:**

Provide free choice in mare-proof creep feeder or allow foals to consume feed when mares are eating.

#### **Weanlings:**

6 months to 12 months of age, feed 1 1/2 to 2 lbs. per 100 lbs. of body weight in addition to high quality grass or a mixture of grass and alfalfa hay.

#### **Yearlings:**

12 months and older, feed 1 to 1 1/2 lbs. per 100 lbs. of body weight plus grass hay.

Bring on feed gradually over a 2 to 3 week period and provide good quality forage. These amounts should be fed daily in divided feedings. Rates may be adjusted according to desired body condition, activity level and forage quality. Provide a source of fresh, clean water at all times. Do Not Feed wet, moldy or insect infested feed.

Manufactured by:

### **Martindale Feed Mill**

(a division of Alan Ritchey, Inc.)  
Valley View, TX 76272

[www.martindalefeed.com](http://www.martindalefeed.com)

Net Weight Shown on Bag or Invoice