



01-5116-5011

PRO-SHOW 16-5 TEXTURED GOAT

For Growing Goats

-MEDICATED-

For the prevention of coccidiosis in young goats caused by Eimeria christenseni and Eimeria ninakohlyakimovae. Feed at least 28 days during periods of exposure or when experience indicates that coccidiosis is likely to be a hazard.

-ACTIVE DRUG INGREDIENT-

Decoquinatate 27.2 g/ton

-Guaranteed Analysis-

Crude Protein* (Min)	16.00%
Crude Fat (Min)	5.00%
Crude Fiber (Max)	9.00%
Calcium (Min)	0.50%
Calcium (Max)	1.00%
Phosphorus (Min)	0.50%
Salt (Min)	0.50%
Salt (Max)	1.00%
Copper (Min)	25 ppm
Copper (Max)	30 ppm
Selenium (Min)	0.30 ppm
Vitamin A (Min)	3,500 IU/LB

* This includes not more than 1.10 % equivalent crude protein from non-protein nitrogen.

-List of Ingredients-

Steam Rolled Barley, Wheat Middlings, Molasses Products, Roasted Soybeans, Steam Rolled Corn, Rice Mill Feed (7.1%), Corn (Chops), Oats, Cottonseed Meal, Dehulled Solvent Extracted Soybean Meal, Dried Distillers Grain, Cottonseed Hulls, Calcium Carbonate, Vegetable Oil, Ammonium Chloride, Sodium Bicarbonate, Salt, Mechanical Extracted Soybean Meal, Ascophyllum nodosum (Dried Seaweed Meal), Magnesium Sulfate, Potassium Sulfate, Propionic Acid (a preservative), Magnesium Oxide, Rice Bran, Ground Grain Sorghum, Soybean Oil, Soybean Hulls, Beet Pulp, Flax Meal (Linseed Meal), Copra Meal (Coconut Meal), Flax Oil, Coconut Oil, Lignin Sulfonate, Saccharomyces cerevisiae yeast, Hydrolyzed yeast and Brewers dried yeast, Selenium Yeast (Saccharomyces cerevisiae), Copper Sulfate, Ferrous Sulfate, Ferrous Carbonate, Manganese Sulfate, Zinc Sulfate, Cobalt Sulfate, Ethylenediamine Dihydroiodide, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Ethoxyquin (a preservative), Mineral Oil, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, d-Calcium Pantothenate, Biotin, Niacin Supplement, Riboflavin, Thiamine Mononitrate, Vitamin B-12 Supplement, Folic Acid, Dried Bacillus licheniformis Fermentation Product, Dried Bacillus subtilis Fermentation Product, Sodium Silico Aluminate, Dried Saccharomyces Cerevisiae Fermentation Product, Sodium Alumina Silicate, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Aspergillus Oryzae Fermentation Extract (source of Proteolytic Enzymes), Dried Trichoderma Longibrachatum Fermentation Extract (source of Cellulase Activity), Dried Bacillus Subtilis Fermentation Extract (source of Amylolytic Enzymes), and Artificial Flavors.

-Feeding Directions-

Feed 1.5 to 1.7% of body weight in addition to good quality pasture or hay. Adjust intake according to desired weight gain, body condition and according to forage conditions. Feed to provide 22.7 mg per 100 lbs. of body weight of Decoquinatate. Provide plenty of fresh, clean water and free-choice roughage. Provide free choice salt and mineral. Do Not Feed wet, moldy or insect infested feed.



WARNING: Do not feed to goats producing milk for food.



Manufactured by:
Martindale Feed Mill
(a division of Alan Ritchey, Inc.)
Valley View, TX 76272

(800)366-9584
www.martindalefeed.com