



01-3072-5012

# MFM 14% XL™ SENTRY PELLET

To be fed to broodmares, stallions, yearlings and mature performance horses.

### -Guaranteed Analysis-

Crude Protein (Min) .....	14.00%
Lysine (Min) .....	0.80%
Crude Fat (Min) .....	7.00%
Crude Fiber (Max) .....	18.00%
Calcium (Min) .....	0.75%
Calcium (Max) .....	1.00%
Phosphorus (Min) .....	0.60%
Copper (Min) .....	50.00 ppm
Selenium (Min) .....	0.40 ppm
Zinc (Min) .....	150.00 ppm
Vitamin A (Min) .....	4,500 IU/LB
Vitamin D (Min) .....	400 IU/LB
Vitamin E (Min) .....	100 IU/LB

### -List of Ingredients-

Wheat Middlings, Soybean Hulls (30.0%), Dehydrated Alfalfa Meal, Dehulled Solvent Extracted Soybean Meal, Ground Corn, Rice Mill Feed, Vegetable Oil, Ground Milo, Dried Molasses, Calcium Carbonate, Salt, Mono-Calcium Phosphate, Sodium Bicarbonate, Condensed Lignin Sulfonate, Yeast Culture, DL-Methionine, Magnesium Oxide, Artificial Flavors, Choline Chloride, L-Lysine, Zinc Methionine, Manganese Methionine, Copper Lysine, Cobalt Glucoheptonate, Brewer's Dried Yeast, Hydrated Sodium Calcium Aluminosilicate and Silicon Dioxide., Vitamin A Supplement, d-Calcium Pantothenate, Biotin, Niacin Supplement, Riboflavin, Thiamine Mononitrate, Vitamin D Supplement, Vitamin E Supplement, Ethoxyquin (a preservative), Vitamin B-12 Supplement, Folic Acid, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Mineral Oil, Potassium Chloride, Cobalt Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide.

### -Feeding Directions-

#### Yearlings:

Feed 1 to 1 1/2 lbs. per 100 lbs. of body weight with good quality hay.

#### Mares

For gestating mares feed 3/4 to 1 lb. per 100 lbs. of body weight with good quality hay or suitable pasture to obtain desired body condition. For lactating mares, feed 1 to 1 1/2 lbs. per 100 lbs. of body weight plus good quality hay.

#### Breeding Stallions and Performance Horses:

Feed 3/4 to 1 1/2 lbs. per 100 lbs. of body weight plus good quality hay, depending on desired body condition and activity level.

Bring on feed gradually over a 2 to 3 week period and provide good quality forage. These amounts should be fed daily in divided feedings. Rates may be adjusted according to desired body condition, activity level and forage quality. Provide a source of fresh, clean water at all times. Do Not Feed wet, moldy or insect infested feed.

Manufactured by:

**Martindale Feed Mill**

(a division of Alan Ritchey, Inc.)

Valley View, TX 76272

[www.martindalefeed.com](http://www.martindalefeed.com)