



04.3327.9820

MFM PASTURE-MAX 20% AN TUB-100 lb



PASTURE-MAX 20% All Natural Supplement Block

For Beef Cattle on Pasture

GUARANTEED ANALYSIS:

Crude Protein(min).....	20.00%
Crude Fat (min).....	5.00%
Crude Fiber (max).....	2.00%
Calcium (min).....	0.75%
Calcium (max).....	1.25%
Phosphorus (min).....	1.00%
Salt (min).....	2.25%
Salt (max).....	2.75%
Magnesium (min).....	3.00%
Copper (min).....	45 ppm
Manganese (min).....	170 ppm
Selenium (min).....	3.4 ppm
Zinc (min).....	130 ppm
Vitamin A (min).....	50,000 IU/lb
Vitamin D-3 (min).....	5,000 IU/lb
Vitamin E (min).....	5 IU/lb.

INGREDIENT STATEMENT:

Molasses Products, Condensed Fermented Corn Extractives, Processed Grain By-Products, Hydrolyzed Feather Meal, Magnesium Oxide, Salt, Hydrolyzed Vegetable Oil, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Sodium Selenite, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Chloride, Copper Sulfate, Ethylenediamine Dihydrochloride, Calcium Iodate, Cobalt Carbonate, Vitamin A Supplement, Vitamin D-3 Supplement and Vitamin E Supplement.

IMPORTANT: Consumption of this block may vary depending upon the condition of animals, quality and quantity of forages fed, seasonal weather conditions and feeding locations of blocks with respect to loafing, grazing, feeding and watering areas. If over-consumption occurs for more than two weeks and repositioning of the block does not correct the situation, remove the supplement and evaluate the overall feeding program.

INTRODUCTION PERIOD:

During the first week of use, place the block approximately 50-75 feet from loafing and/or watering areas. As cattle become

NET WEIGHT: 100 LBS. (45.45 KG)

acclimated to the presence of blocks, some repositioning may be necessary to achieve proper consumption. **DO NOT PROVIDE STARVED ANIMALS FREE ACCESS TO THIS BLOCK.**

CAUTION: USE AS DIRECTED.

Consumption of selenium should not exceed 3 mg per head per day.

WARNING: This product, which contains added copper, should not be fed to sheep or any species that have a low tolerance to supplemental copper.

FEEDING AND MANAGEMENT:

1. Feed one block per 20 head of cattle (timid and smaller animals need their share).
2. Place blocks where animals congregate (loafing, grazing, feeding and watering areas).
3. Feed blocks continuously along with plentiful sources of good quality forage and clean, fresh water.
4. Cattle should consume 1 to 2 pounds per head daily based on a 1,000-pound animal. Two pounds of this product will supply 3 mg of supplemental selenium.
5. For optimal animal performance, provide a nutritionally balanced free choice mineral supplement in addition to this block.

For additional information, contact your Martindale Feed Mill representative.

Manufactured for:
MARTINDALE FEED MILL
(A division of Alan Ritchey, Inc.)
Valley View, TX 76272



11145

08/09

(800)366-9584
www.martindalefeed.com